

FBT-ST-1000 1000kg Forward Bin Tipper

Forward Bin Tippers have tipped millions of tonnes of product and produce over the years they have been used in industry. Customers use tippers to handle a widely diverse range of products efficiently and safely.

This unit has a fast but controlled hydraulic tipping action and its unique bin grab applies firm grip on bin when inverted. The Forward Bin Tipper has a 135° forward rotation which ensures complete emptying of the bin. Being suitable for a wide range of cubic bin sizes and types this robust attachment provides a quality, long life investment in any bin tipping situation. Attachment can be modified or altered to suit your specific bin type/size requirements.

SPECIFICATIONS:

- 1000kg SWL (1500kg available)
- Total width across tines: 760mm
- Fits standard forklift tines up to: 1070mm x 45m x 125mm
- Standard unit suits bins
 - 1100mm-1200mm front to rear
- Lost load (on 1070mm tines): 300mm
- Net Weight: 155kg
- Horizontal centre of gravity: 600mm
- Vertical centre of gravity: 900mm







Code	SWL	Overall Width	Horizontal Centre of Gravity	Vertical Centre of Gravity	Net weight
FBT ST-1000	1000kg	760mm	600mm	900mm	155kg

Manufactured strictly in accordance with AS 2359.1



FBT-ST-1000 1000kg Forward Bin Tipper










FEATURES & ADVANTAGES:

- Fast controlled hydraulic tipping action
- Quick and easy fitting or removal from forklift.
- Clearview design does not obstruct vision of tines.
- Minimal loss of forklift load capacity.
- Does not affect forklift capacity to handle pallets of stacked bins.
- 135 forward rotation ensures complete emptying of bin.
- Operator does not leave forklift seat.
- · Gentle on bins extends bin life.
- Suitable for a wide range of cubic bin sizes and types plastic or timber, solid or vented.
- Unique bin grab applies firm grip on bin when inverted.
- Robust construction for years of trouble-free operation.
- Powdercoat finish.
- Minimal Maintenace.
- Stainless Steel pivot pins.
- Long life, zero maintenance pivot bearings.
- Safety catch prevents tipping if bin is not correctly on tines.
- Patent pending.



Manufactured strictly in accordance with AS 2359.1